


WALRUS


Versions & options:

Club chair | Corner seat | Middle seat | Footstool |


Blanket | Cushion | Coffee table | Corner Square table | Side tables




Dimensions (mm)	L	W	H	<i>l_i</i>	<i>l₂</i>	<i>w_i</i>	<i>h_i</i>
Club chair std. height	1700	1100	615	1100	300	800	335
Club chair high feet	1700	1100	640	1100	300	800	360
Club chair extra high feet	1700	1100	665	1100	300	800	385



Dimensions (mm)	L	W	H	<i>l_i</i>	<i>l₂</i>	<i>w_i</i>	<i>h_i</i>
Corner seat std. height	1400	1100	615	1100	300	800	335
Corner seat high feet	1400	1100	640	1100	300	800	360
Corner seat extra high feet	1400	1100	665	1100	300	800	385




Dimensions (mm)	L	W	H	<i>w_i</i>	<i>h_i</i>
Middle seat std. height	1100	1100	615	800	335
Middle seat high feet	1100	1100	640	800	360
Middle seat extra high feet	1100	1100	665	800	385




Dimensions (mm)	L	W	H
Footstool std. height	1100	800	335
Footstool high feet	1100	800	360
Footstool extra high feet	1100	800	385




BOX 1: ARMREST | BOX 2: BACK REST




BOX 3: SEAT CUSHION



BOX 4: FRAME




BOX 5: FEET




Box dimensions (mm)		L	W	H	Qty (#)	Volume (m³)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Club chair	Box 1	1160	345	550	2	0,44	36,35	34,00	2,35
	Box 2	1160	345	550	1	0,22	23,35	21,00	2,35
	Box 3	1140	830	270	1	0,26	10,34	7,50	2,84
	Box 4	1500	1060	115	1	0,18	21,51	18,01	3,50
	Box 5	200	140	140	1	0,01	1,08	0,88	0,20
total:						1,11	92,63	81,39	11,24
Corner seat	Box 1	1160	345	550	1	0,22	19,35	17,00	2,35
	Box 2	1160	345	550	1	0,22	23,35	21,00	2,35
	Box 3	1140	830	270	1	0,26	10,34	7,50	2,84
	Box 4	1340	1060	115	1	0,16	18,99	15,99	3,00
	Box 5	200	140	140	1	0,01	1,08	0,88	0,20
total:						0,87	73,11	62,37	10,74
Corner seat with 2 storage pouches	Box 1	1160	345	550	2	0,44	38,70	42,00	4,70
	Box 3	1140	830	270	1	0,26	10,34	7,50	2,84
	Box 4	1340	1060	115	1	0,16	18,99	15,99	3,00
	Box 5	200	140	140	1	0,01	1,08	0,88	0,20
total:						0,87	69,11	66,37	10,74
Middle seat	Box 2	1160	345	550	1	0,22	23,35	21,00	2,35
	Box 3	1140	830	270	1	0,26	10,34	7,50	2,84
	Box 4	1340	1060	115	1	0,16	16,07	13,07	3,00
	Box 5	200	140	140	1	0,01	1,08	0,88	0,20
total:						0,65	50,84	42,45	8,39
Footstool	Box 3	1140	830	270	1	0,26	10,34	7,50	2,84
	Box 4	1340	1060	115	1	0,16	12,11	9,11	3,00
	Box 5	200	140	140	1	0,01	1,08	0,88	0,20
total:						0,43	23,53	17,49	6,04


OPTIONAL SIDE TABLES




Dimensions (mm)	L	W	H	<i>l</i> ₁	<i>l</i> ₂	<i>w</i> ₁	<i>h</i> ₁	<i>h</i> ₂
Seat with side table std. height	1376	1100	615	1100	271	800	335	150
Seat with side table high feet	1376	1100	640	1100	271	800	360	175
Seat with side table extra high feet	1376	1100	665	1100	271	800	385	200



Dimensions (mm)	L	W	H	<i>l</i> ₁	<i>l</i> ₂	<i>l</i> ₃	<i>w</i> ₁	<i>h</i> ₁	<i>h</i> ₂
Seat with armrest & side table std. height	1676	1100	615	1100	271	300	800	335	150
Seat with armrest & side table high feet	1676	1100	640	1100	271	300	800	360	175
Seat with armrest & side table extra high feet	1676	1100	665	1100	271	300	800	385	200




Dimensions (mm)	L	W	H	<i>l</i> ₁	<i>l</i> ₂	<i>w</i> ₁	<i>h</i> ₁	<i>h</i> ₂
Seat with 2 side tables std. height	1652	1100	615	1100	271	800	335	150
Seat with 2 side tables high feet	1652	1100	640	1100	271	800	360	175
Seat with 2 side tables extra high feet	1652	1100	665	1100	271	800	385	200




Box dimensions (mm)		L	W	H	Qty (#)	Volume (m³)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Seat with side table	Box 2	1160	345	550	1	0,22	23,35	21,00	2,35
	Box 3	1140	830	270	1	0,26	10,34	7,50	2,84
	Box 4	1330	1030	140	1	0,19	18,99	15,99	3,00
	Box 5	200	140	140	1	0,01	1,08	0,88	0,20
	Box 6	1150	320	90	1	0,03	8,88	6,83	2,05
					total:	0,71	62,64	52,20	10,44
Seat with armrest & side table	Box 1	1160	345	550	1	0,22	19,35	17,00	2,35
	Box 2	1160	345	550	1	0,22	23,35	21,00	2,35
	Box 3	1140	830	270	1	0,26	10,35	7,50	2,84
	Box 4	1330	1030	140	1	0,19	21,51	18,01	3,50
	Box 5	200	140	140	1	0,01	1,08	0,88	0,20
	Box 6	1150	320	90	1	0,03	8,88	6,83	2,05
					total:	0,93	84,51	71,22	13,29
Seat with 2 side tables	Box 2	1160	345	550	1	0,22	23,35	21,00	2,35
	Box 3	1140	830	270	1	0,26	10,34	7,50	2,84
	Box 4	1330	1030	140	1	0,19	21,51	18,01	3,50
	Box 5	200	140	140	1	0,01	1,08	0,88	0,20
	Box 6	1150	320	90	2	0,07	17,76	13,66	4,10
					total:	0,75	74,04	61,05	12,99


OPTIONAL TABLES




Dimensions (mm)	L	W	H
Coffee table std. height	1100	823	145
Coffee table high feet	1100	823	170
Coffee table extra high feet	1100	823	195



Dimensions (mm)	L	W	H
Corner Square table std. height	1100	1100	145
Corner Square table high feet	1100	1100	170
Corner Square table extra high feet	1100	1100	195




Dimensions (mm)	L	W	H	w _i	h _i
Linking table	1100	749	67	547	145




Box dimensions (mm)		L	W	H	Qty (#)	Volume (m³)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Coffee table	Box 7	1150	873	80	1	0,08	22,28	19,78	2,50
	Box 5	200	140	140	1	0,01	1,08	0,88	0,20
					total:	0,09	23,36	20,66	3,00
Corner square table	Box 7	1150	1150	80	1	0,11	29,74	26,74	3,00
	Box 5	200	140	140	1	0,01	1,08	0,88	0,20
					total:	0,12	30,82	27,62	3,20
Linking table	Box 7	1150	799	195	1	0,04	19,37	16,87	2,50

OPTIONAL BLANKET



Dimensions (mm)	L	W	H	(kg)
Blanket	1570	1050	20	2,00

OPTIONAL CUSHION




Dimensions (mm)	L	W	H	(kg)
Cushion	800	200	500	1,50

BOX 7: 3 BLANKETS + 3 CUSHIONS



Box dimensions (mm)		L	W	H	Qty (#)	Volume (m³)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
max. 3 blankets + max. 3 cushions	Box 7	1140	830	270	1	0,26	13,34	10,50	2,84

OPTIONAL SMALL CUSHION




Dimensions (mm)	L	W	H	(kg)
Small Cushion	500	170	500	0,90

TARPAULIN CUSHIONS



FRAME



TABLES



BLANKETS & CUSHIONS



Materials	Key facts	Thickness	Layer thickness	Density	In/outdoor	Water	UV colour fastness	Flame retarding
		mm	micron					
Galvanised steel frame & legs	• most durable method for protecting metal from rusting • protective layer • very long life span • can perfectly be recycled	2 - 10	n.a.	7,50 10 ³ kg/m ³	outdoor & indoor	n.a.	very good, galvanisation will however become dull when used outdoors	NEN-EN13501-1 A1 *
Fibre glass rods	• made with the pultrusion technique: a non-stop process of fibre glass wires pulled through a bath of polyester • strong • corrosion-durability • light weight	8	n.a.	0,45 10 ³ kg/m ³	outdoor & indoor	n.a.	very good: colour can fade a little when exposed to UV	/
Tarpaulin cushions	• developed for outdoor • high tenacity polyester yarn + PVC coating + protective coating • anti-bacterial + UV treated	0,50	n.a.	450 g/m ²	outdoor & indoor -30°C +70°C DIN EN 1876/2 1998	100% water proof / water column of 100 mbar	7-8/8 (ISO 105-B02)	flame speed <100mm/sec ISO3795 1989
Sunbrella blankets & cushions	• 100% acrylic • best outdoor fabric available for making cushions	0,50	n.a.	270 g/m ²	outdoor & indoor	water column of 35 mbar (EN 20811)	7/8 (ISO 105-B02)	/
Iroko tables	• few maintenance • feels nice in cold and very hot weather	30	n.a.	600 à 700 kg/m ³	outdoor & indoor	n.a.	untreated wood turns grey after a while	/
H.O.T.wood tables	• very ecological • made from European ash • very stable • needs few maintenance • carries the PEFC™ label for durable forestry • feels nice in cold and very hot weather	30	n.a.	600 kg/m ³	outdoor & indoor	n.a.	untreated wood turns grey after a while	/



* NEN-EN13501-1 A1

Class A1 products will not contribute in any stage of the fire including the fully developed fire. For that reason they are assumed to be capable of satisfying automatically all requirements of all lower classes.

APPLICATIONS

Private: on terraces, patios, ...

Public: hotel and catering industry,
company terraces, ...

IMPORTANT

We strongly advice to store the blanket & cushion indoors when the Walrus is not used regularly.

MAINTENANCE

BLANKET & CUSHIONS (SUNBRELLA)

General cleaning can be done with lukewarm water and mild soap, using a sponge or a soft birstle brush.

To clean mildew or other stubborn stains, a specific mixture of bleach, mild detergent and water can be used. Always rinse the fabric thoroughly after cleaning. Air dry.

It's also possible to put the blanket and the pillow covers in a washing machine (max 40°C).

Do not clean or put in a tumble dryer.

CUSHIONS (TARPAULIN)

The tarp material on the Walrus is easy to clean with lukewarm water, mild soap and cloth or a soft sponge (never use the scrubbing side or a hard brush).

With every Walrus come two miracle clean sponges. These sponges may only be used on marks or stains when normal cleaning is not enough. After cleaning, just let it dry, or wipe with a clean towel for an even better result.

Dependent on the conditions the Walrus is placed in, we advise to clean it every now and then. (e.g. rain, dust, proximity of trees, pets, insects, climate).

Also keep in mind that white is a more sensitive colour for outdoor use.

GOOD TO KNOW

1. Walrus Corner seat is also available with 2 back rests, this way you have an extra storage pouch to hide blankets, cushions,
2. An ingenious storage pouch in the back of the Walrus hides a foldout blanket and a thick cushion, to provide the softness, comfort and touch appreciated in contact with your body.



F.A.Q.

Q: Is it for outdoors?

A: Yes, the parts that are permanently exposed to the elements are made of an extremely durable tarpaulin material (used for trucks) that does not absorb any water.

Q: Do you need to oil the wood?

A: When delivered, the wood is untreated. Exposure to sun and rain will gradually change their colour to silvery grey, and also roughen the surface. If you want to somewhat retain their original colour, you should oil them once a year. We recommend using RMC Hybrid Wood Protector. This treatment will also reduce the wood's proneness to splits, cracks, (grease) stain absorption, etc. To clean the wood you can use special products (www.rmc-extremis.com) or simply a stiff bristle brush and some water. Be careful not to irreparably damage the wood fibres. For this reason, never use a high pressure cleaner.



MAINTENANCE

Download the manuals from our website for maintenance instructions.