



GOLD MOON Parete Incasso mod. I

Recessed wall lamp

Materials: nickel-plated metal plate, nickel-plated metal support with magnet, nickel-plated copper stick, black wrap disc lined with gold or silver coloured leaf.

Dimensions: ø plate 7 cm, ø disc 20 or 30 cm ca..
Ledge: 1 LED 9 cm, 2 LED 11 cm.
Built-in: ø 4 cm, depth 6 cm.

LED: 1x1W
Cool White (6500 °K): 114 lm
Neutral White (4100 °K): 100 lm.
2x1W
Cool White (6500 °K): 228 lm
Neutral White (4100 °K): 200 lm.

Power supply: voltage 230V,
rated output 1W or 2W 350 mA.
Power adapter included.

ORDER CODE

1 LED ø 20 cm ca. Gold: ECGMPI1O00 cool white, ECGMPI1O01 neutral white.
2 LED ø 30 cm ca. Gold: ECFMPI2O00 cool white, ECFMPI2O01 neutral white.
1 LED ø 20 cm ca. Silver: ECGMPI1AG00 cool white, ECGMPI1AG01 neutral white.
2 LED ø 30 cm ca. Silver: ECFMPI2AG00 cool white, ECFMPI2AG01 neutral white.



GOLD MOON Parete mod. B

Wall lamp

Materials: white painted metal base, nickel-plated metal support with magnet, nickel-plated copper stick, black wrap disc lined with gold or silver coloured leaf.

Dimensions: base 9x2,5 cm, ø disc 20 or 30 cm ca..
Ledge: 1 LED 9 cm, 2 LED 11 cm.

LED:
1x1W
Cool White (6500 °K): 114 lm
Neutral White (4100 °K): 100 lm.
2x1W
Cool White (6500 °K): 228 lm
Neutral White (4100 °K): 200 lm.

Power supply: voltage 230V,
rated output 1W or 2W 350 mA.
Power adapter included.

ORDER CODE

1 LED ø 20 cm ca. Gold: ECGMPB1O00 cool white, ECGMPB1O01 neutral white.
2 LED ø 30 cm ca. Gold: ECFMPB2O00 cool white, ECFMPB2O01 neutral white.
1 LED ø 20 cm ca. Silver: ECGMPB1AG00 cool white, ECGMPB1AG01 neutral white.
2 LED ø 30 cm ca. Silver: ECFMPB2AG00 cool white, ECFMPB2AG01 neutral white.



GOLD MOON Parete mod. A


Wall lamp, plug connection

Materials: white painted metal base, nickel-plated metal support with magnet, nickel-plated copper stick, black wrap disc lined with gold or silver coloured leaf.

Dimensions: ø disc 20 cm ca., H tot. 28,5 cm, ledge 9 cm.

LED: 1x1W
Cool White (6500 °K): 114 lm
Neutral White (4100 °K): 100 lm.

Power supply: voltage 230V,
rated output 1W 350 mA,



plug driver,



soft start switch.

ORDER CODE

Gold: ECGMPAO00 cool white, ECGMPAO01 neutral white.

Silver: ECGMPAAG00 cool white, ECGMPAAG01 neutral white.