



LEDJACK SYSTEM I

Wall lamp

Materials: nickel-plated metal base, nickel flex, aluminium LED holder, steel shade.

Dimensions: ø base 9x3 cm, flex 25 cm.

LED: 1x3W

Cool White (6000 °K): 170 lm

Neutral White (4000 °K): 110 lm

Warm White (2800 °K): 100 lm.

Power supply: voltage 230V,
rated output 3W 700 mA.

Recessed version without transformer.

ORDER CODE

on/off: ECLJ1P2500 cool white, ECLJ1P2501 neutral white, ECLJ1P2502 warm white.

recessed: ECLJ1I2500 cool white, ECLJ1I2501 neutral white, ECLJ1I2502 warm white.

Modello coMunitario registrato

via Antonio Locatelli, 47 I-24020 Villa di Serio (BG)
tel. +39 035 656088 - fax +39 035 655605 - info@catellanismith.com - www.catellanismith.com



LEDJACK SYSTEM I

Wall lamp

Materials: nickel-plated metal base, nickel flex, aluminium LED holder, steel shade.

Dimensions: base 15x6,5x3,5 cm, flex 60 cm.

LED: 2x3W

Cool White (6000 °K): 340 lm

Neutral White (4000 °K): 220 lm

Warm White (2800 °K): 200 lm.

Power supply: voltage 230V,
rated output 6W 700 mA.

ORDER CODE

on/off: ECLJ1P26000 cool white, ECLJ1P26001 neutral white, ECLJ1P26002 warm white.



LEDJACK SYSTEM IV

Wall lamp

Materials: nickel-plated metal base, nickel flex, aluminium LED holder, nickel-plated metal lens support, glass lens $\varnothing$ 50 mm.

Dimensions: $\varnothing$ base 9x3 cm, flex 40 cm.

LED: 1x4W
Cool White (6500 °K): 420 lm
Neutral White (4100 °K): 370 lm
Warm White (2800 °K): 280 lm.

Power supply: voltage 230V,
rated output 4W 350 mA.

Recessed version without transformer.

ORDER CODE

on/off: ECLJ4P4000 cool white, ECLJ4P4001 neutral white, ECLJ4P4002 warm white.

recessed: ECLJ4I4000 cool white, ECLJ4I4001 neutral white, ECLJ4I4002 warm white.

Modello coMunitario registrato

via Antonio Locatelli, 47 I-24020 Villa di Serio (BG)
tel. +39 035 656088 - fax +39 035 655605 - info@catellanismith.com - www.catellanismith.com



LEDJACK SYSTEM VIII

Wall lamp

Materials: aluminium LED holder,
patented technopolymer shade

Dimensions: $\varnothing$ base 9x3 cm, flex 25 cm.

LED: 2x1W
Cool White (6500 °K): 228 lm
Neutral White (4100 °K): 200 lm
Warm White (2800 °K): 180 lm.

Power supply: voltage 230V,
rated output 2W 350 mA.

ORDER CODE

on/off: ECLJ8P2500 cool white, ECLJ8P2501 neutral white, ECLJ8P2502 warm white.

Modello coMunitario registrato

via Antonio Locatelli, 47 I-24020 Villa di Serio (BG)
tel. +39 035 656088 - fax +39 035 655605 - info@catellanismith.com - www.catellanismith.com



LEDJACK SYSTEM VIII

Wall lamp

Materials: nickel-plated metal base, aluminium LED holder, nickel-plated aluminium shade, glass 8x3x32 mm.

Dimensions: glass 8x3x32 mm.

Dimensions: base 9x3 cm, flex 40 cm.

LED: COW White (6500 °K): 228 lm
 Neutral White (4000 °K): 1700 lm
 Warm White (2800 °K): 1800 lm

Power supply: Voltage 230V (2800 °K): 110 lm.

Power supply: Voltage 230V 2W 350 mA.
 rated output 3W 700 mA.

Recessed version without transformer.

ORDER CODE

on/off: ECLJ8P0000obalwhite, ECL8P0P4001raewhite, ECL8P0P4002whitem white.

recessed: ECLJ8I0000obalwhite, ECL8I0I4001raewhite, ECL8I0I4002whitem white.

Modello coMunitario registrato

via Antonio Locatelli, 47 I-24020 Villa di Serio (BG)
 tel. +39 035 656088 - fax +39 035 655605 - info@catellanismith.com - www.catellanismith.com



LEDJACK SYSTEM VII

Wall lamp

Materials: nickel-plated metal base,
nickel flex, aluminium LED holder,
glass lens $\varnothing$ 32 mm.

Dimensions: $\varnothing$ base 9x3 cm, flex 40 cm.

LED: 1x3W
Cool White (6000 °K): 170 lm
Neutral White (4000 °K): 110 lm
Warm White (2800 °K): 110 lm.

Power supply: voltage 230V,
rated output 3W 700 mA.

Recessed version without transformer.

ORDER CODE

on/off: ECLJ7P4000 cool white, ECLJ7P4001 neutral white, ECLJ7P4002 warm white.

recessed: ECLJ7I4000 cool white, ECLJ7I4001 neutral white, ECLJ7I4002 warm white.

Modello coMunitario registrato

via Antonio Locatelli, 47 I-24020 Villa di Serio (BG)
tel. +39 035 656088 - fax +39 035 655605 - info@catellanismith.com - www.catellanismith.com