



MAGIC Parete mod. B Dimmerabile

Wall lamp

Materials: nickel-plated metal base,
nickel-plated metal support with magnet,
nickel-plated copper stick.

Dimensions: Ø base 9x3 cm,
2 LED: H 40 cm, ledge 17 cm
3 LED: H 48 cm, ledge 22 cm.

LED: **2x1W**
Cool White (6500 °K): 228 lm
Neutral White (4100 °K): 200 lm
Warm White (2800 °K): 180 lm.
3x1W
Cool White (6500 °K): 342 lm
Neutral White (4100 °K): 300 lm
Warm White (2800 °K): 270 lm.

Power supply: voltage 230V,
rated output 2W or 3W 350 mA.
Only for dimmer 1...10V or push.

ORDER CODE

2 LED: ECMGPB2D00 cool white, ECMGPB2D01 neutral white, ECMGPB2D02 warm white.

3 LED: ECMGPB3D00 cool white, ECMGPB3D01 neutral white, ECMGPB3D02 warm white.



MAGIC Parete Incasso mod. I

Recessed wall lamp

Materials: nickel-plated metal plate, nickel-plated metal support with magnet, nickel-plated copper stick.

Dimensions: ø plate 7 cm,
1 LED: H 32 cm, ledge 12,5 cm
2 LED: H 40 cm, ledge 14 cm
3 LED: H 48 cm, ledge 19 cm.
Built-in: ø 4 cm, depth 6 cm.

LED: **1x1W**
Cool White (6500 °K): 114 lm
Neutral White (4100 °K): 100 lm.
2x1W
Cool White (6500 °K): 228 lm
Neutral White (4100 °K): 200 lm
Warm White (3100 °K): 180 lm.
3x1W
Cool White (6500 °K): 342 lm
Neutral White (4100 °K): 300 lm
Warm White (3100 °K): 270 lm.

Power supply: voltage 230V,
rated output 1W, 2W, 3W 350 mA.
Power adapter included.

ORDER CODE

1 LED: ECMGPI100 cool white, ECMGPI101 neutral white.

2 LED: ECMGPI200 cool white, ECMGPI201 neutral white, ECMGPI202 warm white.

3 LED: ECMGPI300 cool white, ECMGPI301 neutral white, ECMGPI302 warm white.



MAGIC Parete mod. A


Wall lamp, plug connection

Materials: nickel-plated metal support with magnet,
nickel-plated copper stick.

Dimensions: H 32 cm, ledge 12,5 cm.

LED: 1x1W
Cool White (6500 °K): 114 lm
Neutral White (4100 °K): 100 lm.

Power supply: voltage 230V,
rated output 1W 350 mA,



plug driver,



soft start switch.

ORDER CODE

ECMGPA00 cool white, ECMGPA01 neutral white.

Modello coMunitario registrato

via Antonio Locatelli, 47 I-24020 Villa di Serio (BG)
tel. +39 035 656088 - fax +39 035 655605 - info@catellanismith.com - www.catellanismith.com



MAGIC Parete mod. B

Wall lamp

Materials: nickel-plated metal base, nickel-plated metal support with magnet, nickel-plated copper stick.

Dimensions: ø base 9x3 cm,
1 LED: H 32 cm, ledge 15,5 cm
2 LED: H 40 cm, ledge 17 cm
3 LED: H 48 cm, ledge 22 cm.

LED:
1x1W
Cool White (6500 °K): 114 lm
Neutral White (4100 °K): 100 lm.
2x1W
Cool White (6500 °K): 228 lm
Neutral White (4100 °K): 200 lm
Warm White (3100 °K): 180 lm.
3x1W
Cool White (6500 °K): 342 lm
Neutral White (4100 °K): 300 lm
Warm White (3100 °K): 270 lm.

Power supply: voltage 230V,
rated output 1W, 2W, 3W 350 mA.

ORDER CODE

1 LED: ECMGPB100 cool white, ECMGPB101 neutral white.

2 LED: ECMGPB200 cool white, ECMGPB201 neutral white, ECMGPB202 warm white.

3 LED: ECMGPB300 cool white, ECMGPB301 neutral white, ECMGPB302 warm white.



MAGIC Parete mod. A 2/3 LED

Wall lamp, plug connection


Materials: nickel-plated metal support with magnet,
nickel-plated copper stick

Dimensions: 2 LED: H 40 cm, ledge 17 cm
3 LED: H 48 cm, ledge 22 cm

LED: **2x1W**
Cool White (6500 °K): 228 lm
Neutral White (4100 °K): 200 lm
Warm White (2800 °K): 180 lm.

3x1W
Cool White (6500 °K): 342 lm
Neutral White (4100 °K): 300 lm
Warm White (2800 °K): 270 lm

Power supply: voltage 230V,
rated output 2W or 3W 350 mA,



plug driver,



dimmer.

ORDER CODE

2 LED: ECMGPA200cool white, ECMGPA201 neutral white,ECMGPA202 warm white.

3 LED: ECMGPA300cool white, ECMGPA301 neutral white,ECMGPA302 warm white.