



WA Parete Incasso mod. I

Recessed wall lamp

Materials: nickel-plated metal plate, nickel-plated metal support with magnet, nickel-plated copper stick, glass lens $\varnothing$ 32 mm.

Dimensions: $\varnothing$ plate 7 cm, H 18 cm, ledge 25 cm.
Built-in: $\varnothing$ 4 cm, depth 6 cm.

LED: 1x1W
Cool White (6500 °K): 114 lm
Neutral White (4100 °K): 100 lm.

Power supply: voltage 230V,
rated output 1W 350 mA.
Power adapter included.

ORDER CODE

ECWAPI00 cool white, ECWAPI01 neutral white.



WA Parete 150

Wall lamp

Materials: nickel-plated metal base and structure,
nickel-plated copper stick, glass lens $\varnothing$ 32 mm.

Dimensions: base 15x6,5x3,5 cm,
ledge 120 cm.

LED: 1x1W
Cool White (6500 °K): 114 lm
Neutral White (4100 °K): 100 lm.

Power supply: voltage 230V,
rated output 1W 350 mA.

ORDER CODE

ECWAP1500 cool white, ECWAP1501 neutral white.



WA Parete mod. A


Wall lamp, plug connection

Materials: nickel-plated metal support with magnet,
nickel-plated copper stick, glass lens $\varnothing$ 32 mm.

Dimensions: H 18 cm, ledge 25 cm.

LED: 1x1W
Cool White (6500 °K): 114 lm
Neutral White (4100 °K): 100 lm.

Power supply: voltage 230V,
rated output 1W 350 mA,



plug driver,



soft start switch.

ORDER CODE

ECWAPA00 cool white, ECWAPA01 neutral white.



WA Parete mod. B

Wall lamp

Materials: nickel-plated metal base, nickel-plated metal support with magnet, nickel-plated copper stick, glass lens $\varnothing$ 32 mm.


Dimensions: $\varnothing$ base 9x3 cm, H 18 cm, ledge 28 cm.

LED: 1x1W
Cool White (6500 °K): 114 lm
Neutral White (4100 °K): 100 lm.

Power supply: voltage 230V,
rated output 1W 350 mA.

ORDER CODE

ECWAPB00 cool white, ECWAPB01 neutral white.



WA Parete mod. A / B / I FLEX LED

Wall lamp

Materials: nickel-plated metal base or plate, nickel-plated metal support with magnet, nickel-plated copper stick, nickel flex, glass lens $\varnothing$ 32 mm

Dimensions: H 18 cm

mod. B: $\varnothing$ base 9x3 cm

mod. I: $\varnothing$ plate 7 cm, built-in $\varnothing$ 4 cm, depth 6 cm.


LED: 1x1W

Cool White (6500 °K): 114 lm

Neutral White (4100 °K): 100 lm.

Warm White (2800 °K): 90 lm

Power supply: voltage 230V,
rated output 1W 350 mA,



plug driver (mod. A),



soft start switch (mod. A).

ORDER CODE

mod. A: ECWAPA00 cool white, ECWAPA01 neutral white, ECWAPA02 warm white.

mod. B: ECWAPB00 cool white, ECWAPB01 neutral white, ECWAPB02 warm white.

mod. I: ECWAPI00 cool white, ECWAPI01 neutral white, ECWAPI02 warm white.