



2 Perla 35

3 Perla 28


4 Perla accessories

Perla 35

Designer

Ettore Cimini, Walter Monici - 2009

A suspended light fitting for diffused illumination, made of die-cast aluminium with a diffuser of blown glass, available in 2 sizes and powers. Possibility of cascaded installations since you can electrically connect several fittings to the same power connection. Possibility of vertical and horizontal adjustments by means of ropes and other accessories of simple use. Many installation options are possible for one or more fittings, either in same or 2 different sizes Ø350/Ø285mm



Denominazione - Name - Name **Perla 35 (cod. 800)**

Certificazioni - Certificates - Prüfzeichen  

Normative - Norms - Normen **EN 60-598-1 (CEI 34-21)**

Lampadina - Light sources - Leuchtmittel **MAX 150W HAL - 30W FL EL - E27/E26 (not included)**

Versioni - Available - Versionen **230V (Europe) - 120V (USA - Japan) - 240V (England)**

Classe di isolamento - Insulation Class - Isolierungsklasse **I**


Classe di protezione - Protection Class - Protektionsgrad **IP20**

Imballo - Packaging - Verpackung **0,083m³ - 5,4Kg**



Col. 22

Alluminio lucido
Polished aluminium
Aluminium poliert



Cod. 801
Perla 35 SC



Cod. 802
Perla 35 M



Cod. 810
Perla 28



Cod. 811
Perla 28 SC




Cod. 812
Perla 28 M

Perla 28

Designer

Ettore Cimini, Walter Monici - 2009

A suspended light fitting for diffused illumination, made of die-cast aluminium with a diffuser of blown glass, available in 2 sizes and powers. Possibility of cascaded installations since you can electrically connect several fittings to the same power connection. Possibility of vertical and horizontal adjustments by means of ropes and other accessories of simple use. Many installation options are possible for one or more fittings, either in same or 2 different sizes Ø350/Ø285mm



Denominazione - Name - Name **Perla 28 (cod. 810)**

Certificazioni - Certificates - Prüfzeichen  

Normative - Norms - Normen **EN 60-598-1 (CEI 34-21)**

Lampadina - Light sources - Leuchtmittel **MAX 100W HAL - 21W FL EL - E27/E26 (not included)**

Versioni - Available - Versionen **230V (Europe) - 120V (USA - Japan) - 240V (England)**

Classe di isolamento - Insulation Class - Isolierungsklasse **I**


Classe di protezione - Protection Class - Protektionsgrad **IP20**

Imballo - Packaging - Verpackung **0,05m³ - 4,1Kg**



Col. 22

Alluminio lucido
Polished aluminium
Aluminium poliert



Cod. 800
Perla 35



Cod. 801
Perla 35 SC



Cod. 802
Perla 35 M



Cod. 811
Perla 28 SC




Cod. 812
Perla 28 M

Perla cod. 820

Set Ropes

High performance ropes in polyester, die-cast shells and carabiners made out of stainless steel, dedicated to Perla fitting.



Imballo - Packaging - Verpackung **0,005m³ - 0,34Kg**




Col. 22

Alluminio lucido
Polished aluminium
Aluminium poliert

Perla cod. 821

Set Hooks

Hooks for ceiling/wall made out of stainless steel, dedicated to Perla fitting.



Imballo - Packaging - Verpackung **0,005m³ - 0,24Kg**



Col. 22

Alluminio lucido
Polished aluminium
Aluminium poliert


Perla cod. 825

Set Canopy

Decentralizing canopy made out of steel, dedicated to Perla fitting.

INDOOR USE ONLY

ø6,5



Imballo - Packaging - Verpackung **0,002m³ - 0,18Kg**



Col. 22

Alluminio lucido
Polished aluminium
Aluminium poliert