


# hopper table

## technical sheet




The content of this document, in particular the mentioned models, is protected by copyrights and/or design rights. The present document and its content is communicated to you for information purposes only. Any partial or total reproduction or any other use without our prior written permission is strictly prohibited. This technical sheet remains subject to possible changes. All dimensions are in mm, unless mentioned otherwise. Extremis is not responsible for the errors in the documentation of products. All measurements are approximate and are provided for informational purposes only.

Version 20130619



**hopper dimensions (mm)**

	L	W	H	l <sub>1</sub>	l <sub>2</sub>	w <sub>1</sub>	w <sub>2</sub>	h <sub>1</sub>
table 180	1780	1628	740	995	382	832	278	440
table 240	2380	1628	740	1595	382	832	278	440
table 300	2980	1628	740	2195	382	832	278	440
table 360	3580	1628	740	2795	382	832	278	440






box dimensions (mm)		L	W	H	qty (#)	volume (m <sup>3</sup> )	gross weight (kg)	net weight (kg)	packaging weight (kg)
HT180 galvanised	box 1 (benches)	1200	330	270	1	0,107	34,82	30,79	4,03
	box 2 (tabletop)	1820	860	150	1	0,235	63,48	55,69	7,79
	box 3 (legs)	1136	646	635	1	0,466	111,84	100,24	11,60
	<i>total:</i>					<i>0,808</i>	<i>210,14</i>	<i>186,72</i>	<i>23,42</i>
HT180 alu	box 1 (benches)	1200	330	270	1	0,107	34,82	30,79	4,03
	box 2 (tabletop)	1820	860	150	1	0,235	63,48	55,69	7,79
	box 3 (legs)	1136	646	635	1	0,466	51,60	40,00	11,60
	<i>total:</i>					<i>0,808</i>	<i>149,90</i>	<i>126,48</i>	<i>23,42</i>
HT240 galvanised	box 1 (benches)	1800	330	270	1	0,160	49,28	45,25	4,03
	box 2 (tabletop)	2420	860	150	1	0,312	76,22	66,90	9,32
	box 3 (legs)	1136	646	635	1	0,466	111,84	100,24	11,60
	<i>total:</i>					<i>0,939</i>	<i>237,34</i>	<i>212,39</i>	<i>24,95</i>
HT240 alu	box 1 (benches)	1800	330	270	1	0,160	49,28	425,25	4,03
	box 2 (tabletop)	2420	860	150	1	0,312	76,22	66,90	9,32
	box 3 (legs)	1136	646	635	1	0,466	51,60	40,00	11,60
	<i>total:</i>					<i>0,939</i>	<i>177,10</i>	<i>152,15</i>	<i>24,95</i>
HT300 galvanised	box 1 (benches)	2400	330	270	1	0,214	63,81	59,78	4,03
	box 2 (tabletop)	3020	860	150	1	0,390	95,40	86,08	9,32
	box 3 (legs)	1136	646	635	1	0,466	111,84	100,24	11,60
	<i>total:</i>					<i>1,069</i>	<i>271,05</i>	<i>246,10</i>	<i>24,95</i>

## APPLICATIONS

Private: with optional Hopper shade, with optional backrests and with optional flooring for delicate surfaces.




Public: ideal to place several tables next to each other and create a long row.



## ASSEMBLY


Do not throw away the packaging material. You need it to attach the legs to the tabletop.

1. Leave the box containing the legs on the pallet.
2. Remove the lid of the box.
3. Take the legs out of the box.
4. Put the lid back on the box.
5. Put the tabletop on top of the box.
6. Assemble the Hopper table.






## ANCHORING

Hopper table is furnished with an optional floor anchoring set: four jugged steel plates to be fixed with bolts.




For an even more rigid anchoring system, Hopper legs can be ordered with holes.



## GOOD TO KNOW

1. The Hopper legs are cut out of an aluminium sheet nearly without any loss of material.
2. 'Hopper' stands for 'Hop Picker' because the range is inspired by hops gardens, harvest and beer fests.
3. FSC®- or PEFC™ certified wood originates from sustainably managed forests

eco plate mapping



inspired by beer & hops



## F.A.Q.

*Q: Do you need to oil the wood?*

*A:* Only if you want to maintain the original dark colour of the wood. If you don't treat it with oil, the wood will turn grey.

*Q: Won't those wide boards curl up after a while?*

*A:* No, first of all Iroko wood is a very stable type of wood. Secondly, the tabletop is completely supported by a galvanised frame to which each board is attached separately. The wood has no structural function.

## AWARDS



## HOW TO USE


Just sit & drink and have a good time!

## MAINTENANCE



Check: [www.extremis.be/products/hopper-table](http://www.extremis.be/products/hopper-table)

box dimensions (mm)		L	W	H	qty (#)	volume (m³)	gross weight (kg)	net weight (kg)	packaging weight (kg)
HT300 alu	box 1 (benches)	2400	330	270	1	0,214	63,81	59,78	4,03
	box 2 (tabletop)	3020	860	150	1	0,390	95,40	86,08	9,32
	box 3 (legs)	1136	646	635	1	0,466	51,60	40,00	11,60
total:						1,069	210,81	185,86	24,95
HT360 galvanised	box 1 (benches)	3000	330	270	1	0,267	82,29	76,25	6,04
	box 2 (tabletop)	3620	860	150	1	0,467	108,59	99,27	9,32
	box 3 (legs)	1136	646	635	1	0,466	111,84	100,24	11,60
total:						1,200	302,72	275,76	29,96
HT360 alu	box 1 (benches)	3000	330	270	1	0,267	82,29	76,25	6,04
	box 2 (tabletop)	3620	860	150	1	0,467	108,59	99,27	9,32
	box 3 (legs)	1136	646	635	1	0,466	51,60	40,00	11,60
total:						1,200	242,48	215,52	26,96

#### OPTIONAL BACKREST




backrest dimensions (mm)	L	W	H	w <sub>1</sub>
backrest 100	1050	309	406	1955
backrest 160	1650	309	406	1955
backrest 220	2250	309	406	1955
backrest 280	2850	309	406	1955




box dimensions (mm)		L	W	H	qty (#)	volume (m³)	gross weight (kg)	net weight (kg)	packaging weight (kg)
HR180 alu	box 4	400	300	270	1	0,032	2,66	2,16	0,50
	box 5	900	240	60	1	0,013	3,96	3,46	1,50
	total:					0,045	7,62	5,62	2,00
HR180 galvanised	box 4	400	300	270	1	0,032	4,70	4,20	0,50
	box 5	900	240	60	1	0,013	4,96	3,46	1,50
	total:					0,091	9,66	7,66	2,00
HR240 alu	box 4	400	300	270	1	0,032	2,66	2,16	0,50
	box 5	1500	240	60	1	0,022	7,28	5,78	1,50
	total:					0,054	9,94	7,94	2,00
HR240 galvanised	box 4	400	300	270	1	0,032	4,70	4,20	0,50
	box 5	1500	240	60	1	0,022	7,28	5,78	1,50
	total:					0,054	11,98	9,98	2,00
HR300 alu	box 4	400	300	270	1	0,032	2,66	2,16	0,50
	box 5	2100	240	60	1	0,030	9,59	8,09	1,50
	total:					0,063	12,25	10,25	2,00
HR300 galvanised	box 4	400	300	270	1	0,032	4,70	4,20	0,50
	box 5	2100	240	60	1	0,030	9,59	8,09	1,50
	total:					0,063	14,29	12,29	2,00
HR360 alu	box 4	400	300	270	1	0,032	2,66	2,16	0,50
	box 5	2700	240	60	1	0,039	11,90	10,40	1,50
	total:					0,071	14,56	12,56	2,00
HR360 galvanised	box 4	400	300	270	1	0,032	4,70	4,20	0,50
	box 5	2700	240	60	1	0,039	11,90	10,40	1,50
	total:					0,071	16,60	14,60	2,00










## MATERIALS



### aluminium legs colour options:



materials	key facts	thickness mm	layer thickness micron	density 10 <sup>3</sup> kg/m <sup>3</sup>	in/out- door	water	UV colour fastness	flame retarding
Powder coated aluminium legs and back supports 	<ul style="list-style-type: none"> <li>- a technique of applying dry paint to a part</li> <li>- electrostatically charged and sprayed onto the object</li> </ul>	10	50 - 100	2,7	outdoor & indoor	n.a.	very good: colour can fade a little bit when exposed to UV	NEN-EN13501-1 A2-s1**
Galvanised steel legs and back supports 	<ul style="list-style-type: none"> <li>- most durable method for protecting metal from rusting</li> <li>- protective layer</li> <li>- very long life span</li> <li>- can perfectly be recycled</li> </ul>	8	50 - 100	7,5	outdoor & indoor	n.a.	very good: galvanisation will however become dull when used outdoors	NEN-EN13501-1 A1*
Iroko tabletop & benches 	<ul style="list-style-type: none"> <li>- few maintenance</li> <li>- FSC label</li> </ul> 	30	n.a.	0,6 - 0,7	outdoor & indoor	n.a.	untreated wood turns grey after a while	/
H.O.T. wood tabletop & bench 	<ul style="list-style-type: none"> <li>- very ecological</li> <li>- made from European ash</li> <li>- carries the PEFC label for durable forestry</li> <li>- very stable</li> <li>- needs few maintenance</li> </ul> 	30	n.a.	0,6	outdoor & indoor	n.a.	untreated wood turns grey after a while	/
Galvanised steel frame 	<ul style="list-style-type: none"> <li>- very rigid galvanised frame</li> <li>- ensures stability</li> <li>- extremely long lifespan</li> </ul>	2 - 6	50 - 100	7,5	outdoor & indoor	n.a.	very good: galvanisation will however become dull when used outdoors	NEN-EN13501-1 A1*

\* NEN-EN13501-1 A1: Class A1 products will not contribute in any stage of the fire including the fully developed fire. For that reason they are assumed to be capable of satisfying automatically all requirements of all lower classes.

\*\* NEN-EN13501-1 A2-s1: Satisfying the same criteria as class B for the SBI-test according to EN 13823. In addition, under conditions of a fully developed fire these products will not significantly contribute to the fire load and fire growth.

